

MasterEmaco[®] OneMix[™]Concrete Repair System

Project Versatility in ONE Bag







The future of concrete repair

A revolutionary, customizable, and environmentally friendly concrete repair system designed to increase versatility, efficiency, and ease of use. MasterEmaco OneMix is the industry's first-of-its-kind to use one universal bag of base material and enhanced Power PaksTM to create concrete repair materials for multiple project types. Use base material alone or enhance the product characteristics with a Power Pak.

The system comprises of ONE bag of base material that can be used alone for vertical, horizontal and overhead repairs. For form & pour repairs, add a Self-Consolidator Power Pak.





Power Paks can be added for enhanced characteristics



Features and Benefits of MasterEmaco OneMix



Colored packaging for easy mixing and installation - Power Paks are water-soluble, no need to tear open before adding



Eliminates the challenges of replacing or changing products on the jobsite



Color-coded tracers to assure incorporation of corresponding Power Paks



Lowers transportation costs because less product variations are needed

120 COMBINATIONS



up to 60% less storage space needed

120 different product variations using one Base and Power Paks, reducing job site complexity and storage needs



Environmentally friendly – lowers CO2 footprint by at least 20% verses comparable concrete repair mortars



Multiple customizations

MasterEmaco OneMix can be modified to fit your concrete repair needs. Your project can be completed with just the base material or enhanced by adding Power Paks.



MasterEmaco OneMix Base Material

Multi-purpose repair mortar that <u>can be used on its own</u> or with a performance enhancing Power Pak. The base material itself acts as a durable, high-quality horizontal, vertical, and overhead repair material.





Self-Consolidator Power Pak

Creates a form and pour solution with excellent flow for larger repair applications







Corrosion Protection Power Pak

Provides protection and reduces corrosion potential of embedded reinforcement







Fiber Reinforcing Power Pak

Allows for deeper application of hand-applied repairs, reduces shrinkage cracking and improves non-sag properties for vertical and overhead applications.







Accelerator Power Pak

Speeds set and early-age strength in cooler temperatures, significantly reducing project turnaround time







Polymer Modifier Power Pak

Increases adhesion and compressive strength, creating a denser material to resist impacts of chlorides and carbonation







Retarder Power Pak


Provides additional working time in warmer environments



Fast and easy installation

MasterEmaco OneMix base material <u>can be used alone</u> or with one of our six Power Paks for enhanced characteristics. Selecting, mixing and installing is simple. The following table highlights the combination of Power Paks that can be used to take your project to the next level.

	VERTICAL	HORIZONTAL	OVERHEAD	FORM & POUR
OneMix Base Bag (just with water)	•	•	•	•
Plus +				
Corrosion Protection Power Pak	0	0	0	0
Fiber Reinforcing Power Pak	0	0	0	0
Accelerator Power Pak	0	0	0	0
Polymer Modifier Power Pak	0	0	0	0
Retarder Power Pak	0	0	0	0
Self-Consolidator Power Pak				•



In all cases, Power Paks should be added to the mix water before the base material (bag) is slowly added and mixed.

Consult the MasterEmaco OneMix Technical Data Guide for complete information regarding mixing and placement of the system.

Application Benefits







Master Builders Solutions Constructions Systems US, LLC 889 Valley Park Drive Shakopee, MN 55379 USA

Customer Service (800) 433-9517 Technical Service (800) 243-6739 master-builders-solutions.com/EN-US



 ® registered trademark of a Group member in many countries of the world
 © 2023 MBCC Group, 14000803 rev 01/2023 LIMITED WARRANTY NOTICE: Master Builders Solutions Construction Systems US, LLC ("Master Builders") warrants this product to be free from manufacturing defects and to meet the technical properties on the current Technical Data Guide, if used as directed within shelf life. Satisfactory results depend not only on quality products but also upon many factors beyond our control. Master Builders MAKES NO OTHER WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE WITH RESPECT TO ITS PRODUCTS. The sole and exclusive remedy of Purchaser for any claim concerning this product, including but not limited to, claims alleging breach of warranty, negligence, strict liability or otherwise, is shipment to purchaser of product equal to the amount of product that fails to meet this warranty or refund of the original purchase price of product that fails to meet this warranty, at the sole option of Master Builders. Any claims concerning this product must be received in writing within one (1) year from the date of shipment and any claims not presented within that period are waived by Purchaser. Master Builders WILL NOT BE RESPONSIBLE FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFITS) OR PUNITIVE DAMAGES OF ANY KIND.

Purchaser must determine the suitability of the products for the intended use and assumes all risks and liabilities in connection therewith. This information and all further technical advice are based on Master Builders present knowledge and experience. However, Master Builders assumes no liability for providing such information and advice including the extent to which such information and advice may relate to existing third party intellectual property rights, especially patent rights, nor shall any legal relationship be created by or arise from the provision of such information and advice. Master Builders reserves the right to make any changes according to technological progress or further developments. The Purchaser of the Product(s) must test the product(s) for suitability for the intended application and purpose before proceeding with a full application of the product(s). Performance of the product described herein should be verified by testing and carried out by qualified experts.