

SAFETY DATA SHEET

Distributed By:

Canton 1-877-258-7601

Toledo 1-800-860-3352 www.chasephipps.com

Issue Date 07-Apr-2016 Revision Date 07-Apr-2016

Version 1

AT Antique-It

1. IDENTIFICATION

Product identifier

Product Name Antique-It

Other means of identification

Product Code AT

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressSolomon Colors, Inc.Solomon Colors, Inc.4050 Color Plant Road4050 Color Plant RoadSpringfield, IL 62702Springfield, IL 62702

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Carcinogenicity | Category 1A |
|--|-------------|
| Specific target organ toxicity (repeated | Category 2 |
| exposure) | |

Label elements

Emergency Overview

Danger

Hazard statements

May cause cancer

May cause damage to organs through prolonged or repeated exposure

Corrosive



Overexposure to dust can cause chronic lung injury. Acute silicosis may develop in a short timewith heavy exposure. Silicosis can be progressive and may cause death.

Appearance Grey or colored powder Physical state Powder Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-------------------|------------|----------|--------------|
| QUARTZ | 14808-60-7 | 35 - 70 | * |
| Portland Cement | 65997-15-1 | 20 - 40 | * |
| Yellow Iron Oxide | 51274-00-1 | 1 - 5 | * |
| Titanium Dioxide | 13463-67-7 | 1 - 5 | * |
| Red Iron Oxide | 1309-37-1 | 1 - 5 | * |
| Black Iron Oxide | 1317-61-9 | 1 - 5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. If symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice.

Call a physician immediately.

AT 2 / 9 Antique-It

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Vacuum or sweep up material and place in a designated labeled waste container.

Methods for cleaning up With clean shovel place material into clean, dry container and cover loosely; move

containers from spill area.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Use personal

protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Do not

eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|---|--|--------------------------------------|
| QUARTZ | TWA: 0.025 mg/m³ respirable | (vacated) TWA: 0.1 mg/m ³ | IDLH: 50 mg/m³ respirable dust |
| 14808-60-7 | fraction | respirable dust | TWA: 0.05 mg/m³ respirable dust |
| | | : (30)/(%SiO2 + 2) mg/m³ TWA | |
| | | total dust | |
| | | : (250)/(%SiO2 + 5) mppcf TWA | |
| | | respirable fraction | |
| | | : (10)/(%SiO2 + 2) mg/m³ TWA | |
| | | respirable fraction | |
| Portland Cement | TWA: 1 mg/m³ particulate matter | TWA: 15 mg/m³ total dust | IDLH: 5000 mg/m ³ |
| 65997-15-1 | containing no asbestos and <1% | TWA: 5 mg/m³ respirable fraction | TWA: 10 mg/m ³ total dust |
| | crystalline silica, respirable fraction | (vacated) TWA: 10 mg/m ³ total dust | TWA: 5 mg/m³ respirable dust |
| | | (vacated) TWA: 5 mg/m³ respirable | |
| | | fraction | |
| | | TWA: 50 mppcf <1% Crystalline | |
| | | silica | |
| Titanium Dioxide | TWA: 10 mg/m ³ | TWA: 15 mg/m³ total dust | IDLH: 5000 mg/m ³ |
| 13463-67-7 | | (vacated) TWA: 10 mg/m ³ total dust | |
| Red Iron Oxide | TWA: 5 mg/m³ respirable fraction | TWA: 10 mg/m ³ fume | IDLH: 2500 mg/m3 Fe dust and |
| 1309-37-1 | | TWA: 15 mg/m³ total dust | fume |
| | | TWA: 5 mg/m³ respirable fraction | TWA: 5 mg/m³ Fe dust and fume |
| | | (vacated) TWA: 10 mg/m³ fume | |
| | | and total dust Iron oxide | |
| | | (vacated) TWA: 5 mg/m³ respirable | |
| | | fraction regulated under Rouge | |

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Powder

AppearanceGrey or colored powderOdorNo information availableColorNo information availableOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)
Flammability Limit in Air

No information available
No information available
No information available
No information available

AT 4 / 9 Antique-It

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available No information available Vapor density Specific Gravity No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation No data available.

Eye contact No data available.

Skin Contact No data available.

Ingestion No data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|---------------------|-------------|-----------------|
| QUARTZ | = 500 mg/kg (Rat) | - | - |
| 14808-60-7 | | | |
| Titanium Dioxide 13463-67-7 | > 10000 mg/kg (Rat) | - | - |
| Red Iron Oxide 1309-37-1 | > 10000 mg/kg (Rat) | - | - |
| Black Iron Oxide 1317-61-9 | > 10000 mg/kg(Rat) | - | - |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------|-------|----------|-------|------|
| QUARTZ | A2 | Group 1 | Known | X |
| 14808-60-7 | | - | | |
| Titanium Dioxide | - | Group 2B | - | X |
| 13463-67-7 | | - | | |
| Red Iron Oxide | - | Group 3 | - | - |
| 1309-37-1 | | · | | |

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 5119 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations. Disposal of wastes

Contaminated packaging Do not reuse container.

14. TRANSPORT INFORMATION

Not regulated <u>DOT</u>

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Does not comply **ENCS** Complies **IECSC** Complies **KECL PICCS** Does not comply **AICS** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute health hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|-------------------------------|---------------------------|
| QUARTZ - 14808-60-7 | Carcinogen |
| Titanium Dioxide - 13463-67-7 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| QUARTZ 14808-60-7 | X | X | X |
| Portland Cement 65997-15-1 | X | X | Х |
| Titanium Dioxide 13463-67-7 | X | X | Х |
| Red Iron Oxide 1309-37-1 | X | X | Х |

AT 8 / 9 Antique-It

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Reactivity 0 Physical and Chemical HMIS Health hazards 0

Properties -

Flammability 0 Physical hazards 0 Personal protection X

 Issue Date
 07-Apr-2016

 Revision Date
 07-Apr-2016

Revision Note

No information available

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

