# SAFETY DATA SHEET



866-946-6668 www.phipps.com



Issuing Date 02-Sep-2014 Revision date 23-Mar-2022

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Sure Klean® Vana Trol®

Other means of identification

Product Code(s) 10030 UN number UN1760

Recommended use of the chemical and restrictions on use

Recommended use Restricted to professional users.
Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)

## 2. HAZARDS IDENTIFICATION

785-865-4200

800-535-5053

#### Classification

Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

## Label elements

**Emergency Overview** 

#### Danger

#### Hazard statements

Fatal if inhaled

Causes severe skin burns and eye damage



Appearance clear Physical state Liquid Odor Pungent

**Precautionary Statements - Prevention** 

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear respiratory protection

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Hydrogen Chloride	7647-01-0	10 - 30	*
Glycolic Acid	79-14-1	1 - 5	*
Citric acid	77-92-9	1 - 5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice Immediate medical attention is required.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Call a physician or poison control center immediately. Do NOT induce vomiting. Clean

mouth with water and drink afterwards plenty of water. Never give anything by mouth to an

unconscious person. Remove from exposure, lie down.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** The product causes burns of eyes, skin and mucous membranes. Harmful if inhaled.

Harmful if swallowed.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent product from entering drains. See Section 12 for

additional ecological information.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation,

wear suitable respiratory equipment.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Keep in properly labeled containers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Chloride	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm	IDLH: 50 ppm
7647-01-0		(vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm
		Ceiling: 5 ppm	Ceiling: 7 mg/m <sup>3</sup>
		Ceiling: 7 mg/m <sup>3</sup>	

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 Other information

(11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** Showers. Eyewash stations. Ventilation systems. Application equipment, scaffolding, swing

stages and support systems must be constructed of acid resistant materials. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers,

passersby, and non-masonry surfaces.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear protective gloves and protective clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Wash contaminated clothing before reuse. When using do not eat, drink or smoke. Keep

away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area

Not Applicable

and clothing is recommended. Avoid contact with skin, eyes or clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid **Appearance** clear Odor

Pungent Color amber

Odor threshold No information available

Values | Remarks • Method Property 0.3 @ 1:6 Dilution Hq

-30 °C / -22 °F Melting point / freezing point °F

Boiling point / boiling range No information available

Flash point

**Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

**Upper flammability limit:** No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Specific gravity 1.11

Water solubility completely soluble No information available Solubility in other solvents

Partition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available

#### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to avoid**

Strong bases.

#### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

#### **Hazardous decomposition products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information Corrosive Harmful by inhalation, in contact with skin and if swallowed

**Inhalation** Avoid breathing vapors or mists.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** Corrosive. Contact causes severe skin irritation and possible burns.

**Ingestion** Harmful if swallowed. Can burn mouth, throat, and stomach.

**Component Information** 

Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
Water	> 90 mL/kg (Rat)		
7732-18-5			
Hydrogen Chloride 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg ( Rabbit )	= 1.68 mg/L (Rat) 1 h
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)		= 3.6 mg/L (Rat) 4 h > 5.2 mg/L ( Rat) 4 h
Citric acid 77-92-9	= 3 g/kg (Rat)	> 2000 mg/kg (Rat)	

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms The product causes burns of eyes, skin and mucous membranes. Harmful by inhalation and

if swallowed.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.

# **Carcinogenicity**This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Chemical name	ACGIH	IARC	NTP	OSHA
Hydrogen Chloride	-	Group 3	-	X
7647-01-0				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

#### Unknown acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3515 mg/kg
ATEmix (dermal) 28180 mg/kg
ATEmix (inhalation-gas) 3168 mg/l
ATEmix (inhalation-dust/mist) 0.3 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Glycolic Acid	-	5000: 96 h Brachydanio rerio	-	-
79-14-1		mg/L LC50 static		
Citric acid	-	1516: 96 h Lepomis	-	-
77-92-9		macrochirus mg/L LC50		

#### Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
Glycolic Acid 79-14-1	-1.11
Citric acid 77-92-9	-1.72

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

## 14. TRANSPORT INFORMATION

DOT Regulated UN1760

**UN proper shipping name** Corrosive liquid, n.o.s. (Hydrochloric and Hydroxyacetic Acid)

Transport hazard class(es) 8
Packing group | |

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Hydrogen Chloride - 7647-0	1-0 7647-01-0	10 - 30	1.0

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Chloride 7647-01-0	5000 lb	-	-	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ

## US State Regulations

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania

Hydrogen Chloride 7647-01-0	Х	Х	Х
Sulfuric Acid	X	X	X
7664-93-9			

## **16. OTHER INFORMATION**

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and chemical

properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issuing Date 02-Sep-2014 Revision date 02-Sep-2022

**Revision Note** 

SDS sections updated 4 6 11

**Disclaimer** 

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**